

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33152	invert\$3 same input\$4 same output\$4 same switch\$3 same control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 07:59
L2	253	invert\$3 same input\$4 same (activat\$3 near signal\$4) same switch\$3 same control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 07:59
L3	16253	(invert\$3 with input\$4 with switch\$3) same control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 08:01
L4	88	(invert\$3 with input\$4 with switch\$3) same (activat\$3 near signal\$4) same control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 08:00
L5	36	(invert\$3 with input\$4 with switch\$3 with (activat\$3 near signal\$4)) same control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 08:01
L6	624	(365/191.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 08:01
L7	26	1 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 08:01
L8	0	2 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 08:02
L9	13	3 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 08:02